

# Oracle Primavera P6 Cumulative Feature Overview

## P6 Professional 23.12 - 24.12 Release Feature Overview

Feature	Release
This release contains bug fixes. It does not include any enhancements.	24.1
This release contains bug fixes. It does not include any enhancements.	24.2
This release contains bug fixes. It does not include any enhancements.	24.3
Timesheet Approvals Resource Managers, Project Managers, and their delegates can use P6 Professional to view, approve, or reject timesheets, view and add Timesheet History Notes, and to send email to the resource who submitted a timesheet. Project Managers and Resource Managers can also select delegates to perform all these actions on their behalf.	24.4
Quickly and Easily Unlink Activities You can unlink activities from their successors and predecessors using the Unlink Activities option in the Edit Menu of the Activities page. You can also right click on the activities and select Unlink Activities. When you select multiple activities and use the unlink option, only the relationships between the selected activities are removed. Relationships between the selected activities and activities that you have not selected remain intact.	24.4
Choose Whether to Import Responsible Managers From XER File Responsible Manager is now available as a data type in the Global tab of the XER import template. By default, P6 Professional will import Responsible Managers with the Keep Existing option, but you can select Do Not Import to prevent Responsible Managers from another OBS	24.4

structure from being imported into your own. Alternatively you can select Update Existing to ensure your OBS structure is updated when the file is imported.

#### Improved Clarity in Global Change Reports

24.4

The Global Change report now provides the Project ID and WBS code for all changed items, helping you to understand the extent of the changes if you are applying a global change to more than one project.

This release contains bug fixes. It does not include any enhancements.

24.5

This release contains bug fixes. It does not include any enhancements.

24.6

This release contains bug fixes. It does not include any enhancements.

24.7

This release contains bug fixes. It does not include any enhancements.

24.8

This release contains bug fixes. It does not include any enhancements.

24.9

#### Preview Changes Before Committing to Updating a Baseline

24.10

You can preview the changes that would be made to baseline data before you commit to making the changes. After you have previewed the changes, you can adjust the settings and preview again as often as you need to before updating the baseline.

#### Export the Entire Hierarchical Code Value Path to CPP

24.10

Many of the data elements you export with your CPP files may be mapped to Activity Codes. By default, P6 Professional exports the code values only. However if you have many levels to your hierarchical activity codes, you can now configure the export template to export the full hierarchical path to the code value by selecting "Include code value path" when you map a code in the CPP export template. The resulting export will include the full path to the relevant code value with dots between each hierarchical level, for example, ENG.Elec.Micro.Interface.

#### ClickOnce Installer Renamed

24.10

The ClickOnce installer has been renamed to p6professionalsetup.exe.

Performance Improvements The performance of checking projects in and out for SQLite databases has been improved.	24.10
This release contains bug fixes. It does not include any enhancements.	24.11
Milestone Activities Support All Relationship Types You can assign any relationship type to a milestone activity in P6 Professional. This includes: - You can import projects regardless of the relationship types assigned to milestone activities in the project. - You can copy and paste milestone activities without losing any of their relationships. - You can change the type of an activity in either a project or a baseline to a start or finish milestone without losing any of its relationships. The default relationship type for relationships connecting with a start or finish milestone is finish-to-start. The "Milestones with invalid relationships" section of the Scheduling and Leveling logs has been renamed to "Milestone activities with atypical relationships".	24.12
Improved Code Signing for ClickOnce You can use a hardware token to implement Extended Validation code signing for your ClickOnce installation.	24.12
ClickOnce Installer Renamed The ClickOnce installer has been renamed to p6professionalsetup.exe	24.12

[Legal Notices](#) | [Your Privacy Rights](#) | [Cookie Preferences](#) | [Ad Choices](#)

Copyright © 1999, 2024 Oracle and/or its affiliates.